



monch
Food Display

Monch product series designed for restaurants, hotels, or custom catered events, provides flexibility, style, and quality for chef presentations. Decorative stations, offer different solutions for chef stations with digitally controlled heating at the bottom and infrared heating above, providing productivity, aesthetic and value for your workplace. Stainless Steel and Wooden Stations and refrigerated display units produced for your different needs and presentations.

Restoranlarda, Otellerde veya özel catering organizasyonlarında kullanılmak üzere tasarlanan Monch serisi ürünler, şeflerin sunumları için esneklik, tarz ve kalite sunar. Dekoratif sunum istasyonları, farklı ihtiyaçları karşılarken, zeminden dijital termostat kontrollü ve üstten (infrared) ısıtması ile işletmenize estetik, değer ve verimlilik katar. Paslanmaz ve Ahşap gövdeli sıcak sunum ve soğutmalı teşhir ünitelerimiz farklı ihtiyaçlara göre üretilerek beğenilerinize sunulmuştur.



www.monotech.com.tr



Cam Isıtma 05
Glass Heating Units

Pleyt Isıtma 08
Hot Plate Heating Units

Set Üstü Sıcak Servis 10
Hot Service Table Top Units

Set Üstü Isıtıcı Lamba 16
Heat Lamp Table Top Unit

Askı Tip Asansörlü Isıtıcı Lamba 18
Heat Lamp With Helix Cable Hanging Type

İndüksiyon Ocak ve Sıcak Tutucu 22
Induction Cooker and warmer

İndüksiyon Chafing Dish 23
Induction chafing dish

Soğutmalı Teşhir Dolapları 24
Refrigerated display cabinets

Açık Büfe Uygulamaları 30
Buffet projects



MCI-N-2GN

Setüstü cam ısıtma

NRT "Nano rezistans kaplamalı" temperli cam, 850 W
18/10 Cr-Ni Paslanmaz gövde
30-120C° arası dijital ile ayarlanabilir cam yüzey ısıtma
500 W quartz infrared ısıtıcı aydınlatmalı nefeslik
800x600x120/750 mm 2GN, 220/230V/1350W

Glass Heating Table Top Unit

NRT "Nano resistance coated" tempered glass, 850W
18/10 Stainless steel body
30-120 C° Adjustable temperature controlled by digital thermostat
Lightened sneeze guard with 500W quartz infrared lamp,
800x600x120/750 mm 2GN, 220/230V/1350W

www.monotech.com.tr

MCI-N-3GN

Setüstü cam ısıtma

NRT "Nano rezistans kaplamalı" temperli cam, 950 W
18/10 Cr-Ni Paslanmaz gövde
30-120C° arası dijital ile ayarlanabilir cam yüzey ısıtma
500 W quartz infrared ısıtıcı aydınlatmalı nefeslik
1200x600x120/750 mm 3 GN, 220/230V/1450W

Glass Heating Table Top Unit

NRT "Nano resistance coated" tempered glass, 950W
18/10 Stainless steel body
30-120 C° Adjustable temperature controlled by digital thermostat
Lightened sneeze guard with 500W quartz infrared lamp,
1200x600x120/750 mm 3GN, 220/230V/1450W



yeni ürün
new product



MCI-A-2/3 GN
GN 2/3, 250W
370x370x6/30mm




MCI-A-1GN
GN 1/1, 300W
340x545x6/30mm



MCI-A-2GN
GN 2/1, 850W
665x545x6/30mm



MCI-A-3GN
GN 3/1, 950W
990x545x6/30mm



MCI-A-4GN
GN 4/1, 1450W
1315x545x6/30mm



MCI-A-2GNY
GN 2/1, 1200W
1075x340x6/30mm



MCI-A-D
DAİRE, 115W
ø300x6/30mm

MCI-A Ankastre Cam Isıtma

Nano rezistans kaplamalı
Temperli NRT cam
Paslanmaz gövde, Taş yünü izolasyonlu
Digital termostat kumanda ve ısı göstergeli
30-120 C° arası dijital ayarlanabilir ısıtma

MCI-A Glass Heating Built-in Unit


Nano resistance coated
Tempered NRT glass
Stainless steel body, rockwool insulation
Control by digital thermostat and digital temperature display
Adjustable temperature 30-120 C°

ANKASTRE


cam ısıtma

BUILT-IN Heating






MPI-A-2T
875 x 665 x 6/30 mm 380V 3KW



MPI-A-3T
1285 x 665 x 6/30 mm 380V 5KW



MPI-A-4T
1910 x 665 x 6/30 mm 380V 8KW

MPI Ankastr Pleyt Isıtma
30-150 C° arası ayarlanabilir
termostat kontrollü

MPI BUILT-IN Hot Plate Heating
Adjustable temperature 30-150 C°
controlled by thermostat



ANKASTRE

pleyt ısıtma

BUILT-IN Hot Plate Heating

MST-8060-MCC

Set Üstü Sıcak Servis Ünitesi
Masif Ahşap Gövde
800x600x120/750 mm GN 2/1
30-100 C° arası dijital ayarlanabilir NRT cam yüzey ısıtma
Ayarlanabilir spiral ayaklı, 2x250 Watt infrared ısıtıcı Lamba
220/230 V : 1300 Watt

Hot Service Table Top Unit
Made of Solid wood
800x600x120/750 mm GN 2/1
Adjustable temperature 30-100 C° control by digital thermostat
NRT glass heating surface
Adjustable spiral arms, 2x250 Watt infrared heating lamp
220/230 V : 1300 Watt



MST-8060-MCG

Set Üstü Sıcak Servis Ünitesi
Masif Ahşap Gövde
800x600x120/750 mm GN 2/1
30-100 C° arası dijital ayarlanabilir NRT cam yüzey ısıtma
Ayarlanabilir spiral ayaklı, 2x250 Watt infrared ısıtıcı Lamba
220/230 V ; 1300 Watt

Hot Service Table Top Unit
Made of Solid wood
800x600x120/750 mm GN 2/1
Adjustable temperature 30-100 C° control by digital thermostat
NRT glass heating surface
Adjustable spiral arms, 2x250 Watt infrared heating lamp
220/230 V : 1300 Watt



MST-8060-MCNC

Set Üstü Sıcak Servis Ünitesi
Masif Ahşap Gövde
800x600x120/750 mm GN 2/1
30-100 C° arası dijital ayarlanabilir NRT cam yüzey ısıtma
Ayarlanabilir spiral ayaklı, 2x250 Watt infrared ısıtıcı Lamba
220/230 V ; 1300 Watt
Demonte nefeslik

Hot Service Table Top Unit
Made of Solid wood
800x600x120/750 mm GN 2/1
Adjustable temperature 30-100 C° control by digital thermostat
NRT glass heating surface
Adjustable spiral arms, 2x250 Watt infrared heating lamp
220/230 V : 1300 Watt
Removable sneezeguard

MST-8060-MCNG

Set Üstü Sıcak Servis Ünitesi
Masif Ahşap Gövde
800x600x120/750 mm GN 2/1
30-100 C° arası dijital ayarlanabilir NRT cam yüzey ısıtma
Ayarlanabilir spiral ayaklı, 2x250 Watt infrared ısıtıcı Lamba
220/230 V ; 1300 Watt
Demonte nefeslik

Hot Service Table Top Unit
Made of Solid wood
800x600x120/750 mm GN 2/1
Adjustable temperature 30-100 C° control by digital thermostat
NRT glass heating surface
Adjustable spiral arms, 2x250 Watt infrared heating lamp
220/230 V : 1300 Watt
Removable sneezeguard



MST-8060-PPC

Set Üstü Sıcak Servis Ünitesi
18/10 Cr-Ni Paslanmaz (1,5 mm) tabla
800x600x120/750 mm GN 2/1
30-100 C° arası dijital ayarlanabilir ısıtma
Ayarlanabilir spiral ayaklı, 2x250 Watt infrared ısıtıcı Lamba
220/230 V : 1300 Watt

Hot Service Table Top Unit
Made of 18/10 Cr-Ni steel (1,5 mm)
800x600x120/750 mm GN 2/1
Adjustable temperature 30-100 C° control by digital thermostat
Adjustable spiral arms, 2x250 Watt infrared heating lamp
220/230 V : 1300 Watt



MST-8060-PCC

Set Üstü Sıcak Servis Ünitesi
18/10 Cr-Ni Paslanmaz (1,5 mm) tabla
800x600x120/750 mm GN 2/1
30-100 C° arası dijital ayarlanabilir NRT cam yüzey ısıtma
Ayarlanabilir spiral ayaklı, 2x250 Watt infrared ısıtıcı Lamba
220/230 V : 1300 Watt

Hot Service Table Top Unit
Made of 18/10 Cr-Ni steel (1,5 mm)
800x600x120/750 mm GN 2/1
Adjustable temperature 30-100 C° control by digital thermostat
NRT glass heating surface
Adjustable spiral arms, 2x250 Watt infrared heating lamp
220/230 V : 1300 Watt



MST-8060-PPNC

Set Üstü Sıcak Servis Ünitesi
18/10 Cr-Ni Paslanmaz (1,5 mm) tabla
800x600x120/750 mm GN 2/1
30-100 C° arası dijital ayarlanabilir ısıtma
Ayarlanabilir spiral ayaklı, 2x250 Watt infrared ısıtıcı Lamba
Demonte nefeslik
220/230 V : 1300 Watt

Hot Service Table Top Unit
Made of 18/10 Cr-Ni steel (1,5 mm)
800x600x120/750 mm GN 2/1
Adjustable temperature 30-100 C° control by digital thermostat
Adjustable spiral arms, 2x250 Watt infrared heating lamp
220/230 V : 1300 Watt
Removable sneezeguard

MST-8060-PCNC

Set Üstü Sıcak Servis Ünitesi
18/10 Cr-Ni Paslanmaz (1,5 mm) tabla
800x600x120/750 mm GN 2/1
30-100 C° arası dijital ayarlanabilir NRT cam yüzey ısıtma
Ayarlanabilir spiral ayaklı, 2x250 Watt infrared ısıtıcı Lamba
Demonte nefeslik
220/230 V : 1300 Watt

Hot Service Table Top Unit
Made of 18/10 Cr-Ni steel (1,5 mm)
800x600x120/750 mm GN 2/1
Adjustable temperature 30-100 C° control by digital thermostat
NRT glass heating surface
Adjustable spiral arms, 2x250 Watt infrared heating lamp
220/230 V : 1300 Watt
Removable sneezeguard





www.monotech.com.tr





MLS-2020-PC

Set Üstü Isıtıcı Lamba Standı
200x200x50/680 mm 18/10 Cr-Ni paslanmaz gövde
Ayarlanabilir spiral ayaklı,
1x250 Watt infrared ısıtıcı Lamba
Açma kapama anahtarlı
220/230 V

Heat Lamp Table Top Stand
200x200x50/680 mm, Made of 18/10 Cr-Ni steel
Adjustable spiral arm,
1x250 Watt infrared heating lamp
On / Off switch
220/230 V



MLS-A-PC

Tezgaha Monte Isıtıcı Lamba
Ayarlanabilir spiral ayaklı,
1x250 Watt infrared ısıtıcı Lamba
Açma kapama anahtarlı
220/230 V

Built-in Heat Lamp
Adjustable spiral arm,
1x250 Watt infrared heating lamp
On / Off switch
220/230 V




MGP-40-PC

Set üstü Güveç & Pizza Servis Ünitesi
18/10 Cr-Ni 3 mm paslanmaz tabla ve askılık
ø 400 mm h: 80/710 mm
30-100 C° arası dijital ayarlanabilir ısıtma
Ayarlanabilir spiral ayaklı,
1x250 Watt infrared ısıtıcı Lamba
220/230 V : 650 Watt

Casserole & Pizza Table Top Unit
Made of 18/10 chrome nickel steel plate and hanger
R:400 mm h:80/710 mm
Adjustable temperature 30-100 C°
control by digital thermostat
Adjustable spiral arm,
1x250 Watt infrared heating lamp
220/230 V : 650 Watt



monch



yeni ürün
new product



MLA-25-S

İstenen Mesafede Sabitlenebilen
Çek-Bırak Kilitli Mekanizma Sistemi (Patentli)
Sertliği Ayarlanabilen Mekanizma
Min. 80cm Max. 180cm Uzunlaşabilen Spiral Kablo

Can be fixed at the needed distance
Pull-Drop Locking Mechanism System (Patented)
Hardness Adjustable Mechanism
Adjustable spiral cable (80-180 cm)



MLA-25-S

MLA-25-G

MLA-25-B

MLA-25-ESB

“304K
paslanmaz
GÖVDE”

304L EN 1.4307 paslanmaz çelik gövde
Askı tip asansörlü Isıtıcı Lamba
Ayarlanabilir spiral kablolu (800-1600 mm)
1x250 Watt infrared ısıtıcı Lamba
Açma Kapama anahtarlı

220/230 V 304L EN 1.4307 stainless steel body
Heat lamp with Helix cable hanging type
Adjustable spiral cable (800-1600 mm)
1x250 Watt infrared heating lamp
On/off switch
220/230 V



“304K
paslanmaz
GÖVDE”

Aski tip asansörlü Isıtıcı Lamba
Ayarlanabilir spiral kablolu (800-1600 mm)
1x250 Watt infrared ısıtıcı Lamba
Açma Kapama anahtarlı
220/230 V

Heat lamp with Helix cable hanging type
Adjustable spiral cable (800-1600 mm)
1x250 Watt infrared heating lamp
On/off switch
220/230 V



MLA-17-S

MLA-17-G

MLA-17-B

MLA-17-ESB

MC-101W

INDÜKSİYON WOK OCAK ANKASTRE
Induction Wok Cooker Built-in
220/240 V-3500W



MC-101

INDÜKSİYON OCAK ANKASTRE
Induction Cooker Built-in
220/240 V-3500W

MC-108W

INDÜKSİYON WOK OCAK SETÜSTÜ
Induction Wok Cooker Table Top
220/240 V-3500W



MC-108

INDÜKSİYON OCAK SETÜSTÜ
Induction Cooker Table Top
220/240 V-3500W

M1102DU

INDÜKSİYON CHAFING DISH 1/1
Induction Chafing Dish 1/1



M3202DU

INDÜKSİYON CHAFING DISH 2/3
Induction Chafing Dish 2/3

M41102


INDÜKSİYON CHAFING DISH 1/1
Induction Chafing Dish 1/1
Full Glass Lid



M43202

INDÜKSİYON CHAFING DISH 2/3
Induction Chafing Dish 2/3
Full Glass Lid

chafing dish



SP-25

KAYDIRMAZ SİLİKON PED
Anti Skid Silicone Pad
250x250 mm

M107

INDÜKSİYON ISITICI 1/1
Induction Warmer 1/1
220/240 V-1000W



M108

INDÜKSİYON ISITICI 2/3
Induction Warmer 2/3
220/240 V-1000W

M41002

INDÜKSİYON ÇORBALIK 11 LT
Induction Soup Station 11 Lt



M60063-1

CHAFING DISH 1/1 ANKASTRE
Chafing Dish 1/1 Built-in
Roll Top Lid



M50288


ÇORBALIK ANKASTRE 11 LT
Round Soup Station Built-in 11 Lt



■ MCD-AS2

Soğutmalı teşhir, önü açık, zemin +1 kat, tezgah + H:50 cm
Dolap içi 304 K paslanmaz çelik, Raflar 8 mm temperli cam
Personel tarafı ısı camlı alüminyum sürgü kapak
Otomatik ve digital ısı göstergeli
Alüminyum profil içerisinde LED aydınlatma

Refrigerated display, front open, Ground +1 level, counter + H:50 cm
Inside of the cabinet made of 304 K S/S, Shelves are 8 mm tempered glass
Personnel side heat-insulated aluminium sliding door
Automatic and digital temperature display
LED Lighting is in aluminum profile



MCD-AS2-3GN 115 x 70 x 140 cm
MCD-AS2-4GN 150 x 70 x 140 cm
MCD-AS2-5GN 180 x 70 x 140 cm

■ MCD-AS3

Soğutmalı teşhir, önü açık, zemin +2 kat, tezgah + H:62 cm
Dolap içi 304 K paslanmaz çelik, Raflar 8 mm temperli cam
Personel tarafı ısı camlı alüminyum sürgü kapak
Otomatik ve digital ısı göstergeli
Alüminyum profil içerisinde LED aydınlatma

Refrigerated display, front open, Ground +2 levels, counter + H:62 cm
Inside of the cabinet made of 304 K S/S, Shelves are 8 mm tempered glass
Personnel side heat-insulated aluminium sliding door
Automatic and digital temperature display
LED Lighting is in aluminum profile



MCD-AS3-3GN 115 x 70 x 152 cm
MCD-AS3-4GN 150 x 70 x 152 cm
MCD-AS3-5GN 180 x 70 x 152 cm

■ MCD-AU2

Soğutmalı teşhir, önü açık, zemin +1 kat, tezgah + H:50 cm
Dolap içi 304 K paslanmaz çelik, Raflar 8 mm temperli cam
Sırttan üfleme, Otomatik ve digital ısı göstergeli
Alüminyum profil içerisinde LED aydınlatma

Refrigerated display, front open, Ground +1 level, counter + H:50 cm
Inside of the cabinet made of 304 K stainless steel
From the back with blowing Automatic and digital temperature display
LED Lighting is in aluminum profile



MCD-AU2-3GN 115 x 70 x 140 cm
MCD-AU2-4GN 150 x 70 x 140 cm
MCD-AU2-5GN 180 x 70 x 140 cm

■ MCD-AU3

Soğutmalı teşhir, önü açık, zemin +2 kat, tezgah + H:62 cm
Dolap içi 304 K paslanmaz çelik, Raflar 8 mm temperli cam
Sırttan üfleme, Otomatik ve digital ısı göstergeli
Alüminyum profil içerisinde LED aydınlatma

Refrigerated display, front open, Ground +2 levels, counter + H:62 cm
Inside of the cabinet made of 304 K stainless steel
From the back with blowing Automatic and digital temperature display
LED Lighting is in aluminum profile



MCD-AU3-3GN 115 x 70 x 152 cm
MCD-AU3-4GN 150 x 70 x 152 cm
MCD-AU3-5GN 180 x 70 x 152 cm





■ MCD-K

Soğutmalı teşhir, önü kapalı, düz camlı, tezgah + H:30 cm
Dolap içi 304 K paslanmaz çelik,
Otomatik ve digital ısı göstergeli
Dolap çevresi buhar önleyici üfleme sistemi
Personel tarafı L sürgü kapaklı
Alüminyum profil içerisinde LED aydınlatma

Refrigerated display, closed front, flat glass, counter + H:30 cm
Inside of the cabinet made of 304 K stainless steel
Automatic and digital temperature display
Anti-vapor blowing system around the cabinet
Personnel side with L sliding door
LED Lighting is in aluminum profile

MCD-K-3GN 115 x 70 x 120 cm
MCD-K-4GN 150 x 70 x 120 cm
MCD-K-5GN 180 x 70 x 120 cm



■ MCD-KP

Soğutmalı teşhir, önü kapalı, düz camlı, tezgah + H:30 cm
Dolap içi 304 K paslanmaz çelik,
Otomatik ve digital ısı göstergeli
Dolap çevresi buhar önleyici üfleme sistemi
Personel tarafı L sürgü kapaklı-Polietilen tabanlı
Alüminyum profil içerisinde LED aydınlatma

Refrigerated display, closed front, flat glass, counter + H:30 cm
Inside of the cabinet made of 304 K stainless steel
Automatic and digital temperature display
Anti-vapor blowing system around the cabinet
Personnel side with L sliding door- Polyethylene board
LED Lighting is in aluminum profile

MCD-KP-3GN 115 x 70 x 120 cm
MCD-KP-4GN 150 x 70 x 120 cm
MCD-KP-5GN 180 x 70 x 120 cm




www.monotech.com.tr

■ MCD-P3

Soğutmalı teşhir, önü kapalı,zemin +2 kat, tezgah + H:62 cm
Dolap içi 304 K paslanmaz çelik, Raflar 8 mm temperli cam
Personel tarafı ısı camlı alüminyum sürgü kapak
Otomatik ve digital ısı göstergeli
Alüminyum profil içerisinde LED aydınlatma

Refrigerated display, closed front ,Ground +2 levels, counter + H:62 cm
Inside of the cabinet made of 304 K S/S, Shelves are 8 mm tempered glass
Personnel side heat-insulated aluminium sliding door
Automatic and digital temperature display
LED Lighting is in aluminum profile

MCD-P3-3GN 115 x 70 x 152 cm
MCD-P3-4GN 150 x 70 x 152 cm
MCD-P3-5GN 180 x 70 x 152 cm




■ MCD-KP

Soğutmalı teşhir, önü kapalı,zemin +1 kat, tezgah + H:50 cm
Dolap içi 304 K paslanmaz çelik, Raflar 8 mm temperli cam
Personel tarafı ısı camlı alüminyum sürgü kapak
Otomatik ve digital ısı göstergeli
Alüminyum profil içerisinde LED aydınlatma

Refrigerated display, closed front ,Ground +1 level, counter + H:50 cm
Inside of the cabinet made of 304 K S/S, Shelves are 8 mm tempered glass
Personnel side heat-insulated aluminium sliding door
Automatic and digital temperature display
LED Lighting is in aluminum profile

MCD-P2-3GN 115 x 70 x 140 cm
MCD-P2-4GN 150 x 70 x 140 cm
MCD-P2-5GN 180 x 70 x 140 cm





MCD-DW

Dik tip soğutmalı şarap dolabı
Otomatik ve digital ısı göstergeli
3 sıra eğimli masif ahşap raflar
Isı camlı alüminyum çarpma kapaklı
Alüminyum profil içerisinde LED aydınlatma

Upright refrigerated wine cabinet
Automatic and digital temperature display
3 rows of inclined solid wood shelves
Heat glass aluminum slam doors
LED Lighting is in aluminum profile

MCD-DW-1 70 x 70 x 210 cm
MCD-DW-2 140 x 70 x 210 cm
MCD-DW-3 210 x 70 x 210 cm

www.monotech.com.tr

MCD-DD

Dik tip soğutmalı şarküteri dolabı
Dolap içi 304 K paslanmaz çelik
Otomatik ve digital ısı göstergeli
Yükseklik ayarlı paslanmaz çelik raflar
Isı camlı alüminyum çarpma kapaklı
Alüminyum profil içerisinde LED aydınlatma

Upright refrigerated delicatessen cabinet
Inside of the cabinet made of 304 K S/S
Automatic and digital temperature display
Height adjustable stainless steel shelves
3 rows of inclined solid wood shelves
Heat glass aluminum slam doors
LED Lighting is in aluminum profile

MCD-DD-1 70 x 70 x 210 cm
MCD-DD-2 140 x 70 x 210 cm
MCD-DD-3 210 x 70 x 210 cm

TASARIMDAN ÜRETİME

özel çözümler

Special Solutions Through Design To Production.

Monotech, tasarım ağırlıklı ve özel üretim açık büfeler tasarlayarak, kurumların kültürlerine uygun servis üniteleri hazırlar.

Monotech Otel ve Restaurantlar için açık büfe ve ekipmanları alanlarında hizmet vermektedir. Monotech ; Müşteri memnuniyetini ilke edinmiş, her yeni projede ilk işinde duyduğu heyecanı yaşayarak üreten, profesyonel bir kadroyu, kaliteli ürün yelpazesini, pazarlama dürüstlüğü, satış sonrası servisi ve 29 yıllık mesleki deneyimi içerir.

Monotech, her yıl markaya yapılan yatırımı, AR-GE çalışmaları, çağdaş tasarım trendlerini takip eden çizgisi ve müşteri memnuniyetini ilke edinmiş satış ve satış sonrası servis politikasıyla, sektöründe örnek alınan, takip edilmeye çalışılan bir marka konumuna gelmiştir.

Açık Büfelerin sadece yemek servis etmekten öte bir fikir ve bir kültür yansıttığının bilincinde olan Monotech, müşterileri adına bir imaj oluşturduğunun farkındadır. Bu nedenle de konusunda uzman olan proje, tasarım, üretim ve satış sonrası destek kadrosuyla, yeni çağa ayak uydurmak isteyen, fark yaratan mekanlar oluşturma çabasındaki müşterilerine destek ve hizmet vermektedir.

Monotech designs custom open buffets compatible to the style of hotels and restaurants special needs.

Monotech provides services in buffet and equipment for hotels and restaurants. Monotech has adopted it as a principle to maintain customer satisfaction while providing a professional staff, high quality product range, marketing honesty and 29 years of experience with the excitement of the very first day on each new project.

Monotech has become a brand that is followed and taken as example in the sector thanks to its sales and after sales service policy, investments in the brand each year, R & D studies, contemporary design trends and customer satisfaction principle.

Aware of the fact that open buffets reflect an idea and a culture in addition to serving food, Monotech is well beware that it offers an image on behalf of its customers. For this reason, Monotech provides support and service to customers that are eager to keep up with the modern times and to create venues that make difference thanks to its project, design, production and after-sales staff that are all expert in their fields.






www.monotech.com.tr



monotech
"Açık Büfe"

*Çelik konstrüksiyon
üstüne Verde
Guatemala Mermer
deseni
uygulanacaktır*



*Çelik konstrüksiyon
üstüne Verde
Guatemala Mermer
deseni
uygulanacaktır*





www.monch.com.tr

 monch_foodwarmer

 MonchFoodwarmerDisplay



Monotech Endüstriyel Mutfak Ekipmanları A.Ş.

Kepez Mah. Yeşil Antalya Sanayi Sitesi
3189 / 9 Sok. No:13 Kepez / ANTALYA
+90 (242) 221 44 65 / +90 (242) 221 44 66
info@monotech.com.tr

 monotech_acik_bufe

 MonotechOtelEkipmanlari

2025

monch

www.monotech.com.tr